

**—TMP—**



**— LIFT-A-LOFT —**

*An Industry Leader for 50 Years*

The TMP – Truck Mounted Platform lift was designed for mounting on commercially available chassis. Designed primarily for aircraft maintenance, the TMP offers a very stable work platform and offers a variety of options to meet a customer's specific need.

## DIMENSIONS\*\*

- Wheel Base – 137” (3.48 m)\*\*
- Platform Minimum Height – 4’7” (1.40 m)
- Platform Size – 51” x 99” (1.30 m x 2.51 m)
- Platform Guardrails – 40” (1.02 m)
- Travel height – 8’7” (2.62 m)\*\*
- GVW – 11,000 lbs – 15,000 lbs (4,989.6 kg – 6,803.9 kg)
- Consult Factory for other height range specifications

## PERFORMANCE\*

- Maximum Speed – Raise 44 seconds
- Platform Capacity:
  - 15 ft - 2000 lbs (907kg)
  - 25 ft - 1500 lbs (680kg)
- Stabilizer Extend-Retract Speed – 8 seconds

## TMP FEATURES

- Chassis Controls – Standard Automotive
- Engine Driven Pump Provides Hydraulic Power to Lift and Stabilization Cylinders
- Non Slip Surface on Areas That Receive Foot Contact
- Hydraulic Cylinder Lift
- Hydraulic Outriggers
- Lighted Control Stations
- 15 ft or 25 ft Lifts Available

## TMP SAFETY

- Emergency Stop Push-Buttons
- Emergency Operation Controls
- Holding Valves on Lift Cylinders and Stabilizers Cylinders
- Lanyard Attachment Points
- Non-Skid Platform
- Scissor Spreader for Maintenance and Inspection
- Lowering Alarm
- Starter Interlock Prevents Attempted Restarts of Running Engine
- Transmission Neutral/Emergency Brake Interlock

## TMP OPTIONS

- 4” (0.10 m) Aircraft Bumpers
- Skydrol Resistant Paint
- Platform Mounted Flood Lights
- Cold Weather Winterization Package

\* Subject to Change Without Notice

\*\* Dependant upon Chassis

# LIFT-A-LOFT